### **ENVIRONMENTAL CHEMISTS**

# Analysis For Total Metals By EPA Method 200.8

Client ID: M01036 Client: Alaskan Copper Works Date Received: 10/17/07 Project: PO M01036, F&BI 710225 Date Extracted: 10/18/07 Lab ID: 710225-01 x10 Date Analyzed: 10/18/07 Data File: 710225-01 x10.031 Matrix: Water ICPMS1 Instrument: Units: Operator: HR ug/L (ppb)

Internal Standard: % Recovery: Limit: Limit: Germanium 86 60 125

 Concentration ug/L (ppb)

 Chromium
 1,500

 Nickel
 1,490

 Copper
 672

 Zinc
 38.4

#### **ENVIRONMENTAL CHEMISTS**

## Analysis For Total Metals By EPA Method 200.8

Client ID: Method Blank Client: Alaskan Copper Works PO M01036, F&BI 710225 Date Received: Not Applicable Project: Date Extracted: 10/18/07 Lab ID: 17-380 mb Date Analyzed: 10/18/07 Data File: 17-380 mb.029 ICPMS1 Matrix: Water Instrument: Units: ug/L (ppb) Operator: HR

Lower Upper Internal Standard: % Recovery: Limit: Limit: Germanium 87 60 125

Concentration
Analyte: ug/L (ppb)

Chromium <1
Nickel <1
Copper <1
Zinc <1

### **ENVIRONMENTAL CHEMISTS**

Date of Report: 10/25/07 Date Received: 10/17/07

Project: Metro KC Composite, PO# M01036, F&BI 710225

# QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF WATER SAMPLES FOR TOTAL METALS USING EPA METHOD 200.8

Laboratory Code: 710216-01 (Duplicate)

			Sample	Duplicate	Relative Percent	Acceptance
	Analyte	Reporting Unit	s Result	Result	Difference	Criteria
	Chromium	ug/L (ppb)	1.36	1.54	12	0-20
	Nickel	ug/L (ppb)	19.9	22.3	11	0-20
	Copper	ug/L (ppb)	2.60	2.69	3	0-20
8,	Zinc	ug/L (ppb)	10.7	13.0	19	0-20

Laboratory Code: 710216-01 (Matrix Spike)

			A Alberta		Percent							
	기타보다 같다.		Spike	Sample	Recovery	Acceptance						
	Analyte	Reporting Units	E Level	Result	MS	Criteria						
	Chromium	ug/L (ppb)	20	1.36	99	50-150	4					
1	Nickel	ug/L (ppb)	20	19.9	102 b	50-150						
	Copper	ug/L (ppb)	20	2.60	93	50-150						
	Zinc	ug/L (ppb)	50	10.7	97 b	50-150						

Laboratory Code: Laboratory Control Sample

		Spike	Percent Recovery	Acceptance	
Analyte	Reporting Units	Level	LCS	Criteria	
Chromium	ug/L (ppb)	20	97	70-130	7
Nickel	ug/L (ppb)	20	97	70-130	
Copper	ug/L (ppb)	20	96	70-130	1 1
Zinc	ug/L (ppb)	50	85	70-130	9

#### **ENVIRONMENTAL CHEMISTS**

## **Data Qualifiers & Definitions**

- a The analyte was detected at a level less than five times the reporting limit. The RPD results may not provide reliable information on the variability of the analysis.
- A1 More than one compound of similar molecule structure was identified with equal probablility.
- **b** The analyte was spiked at a level that was less than five times that present in the sample. Matrix spike recoveries may not be meaningful.
- ca The calibration results for this range fell outside of acceptance criteria. The value reported is an estimate
- c The presence of the analyte indicated may be due to carryover from previous sample injections.
- d The sample was diluted. Detection limits may be raised due to dilution.
- **ds** The sample was diluted. Detection limits are raised due to dilution and surrogate recoveries may not be meaningful.
- **dv** Insufficient sample was available to achieve normal reporting limits and limits are raised accordingly.
- fb The analyte indicated was found in the method blank. The result should be considered an estimate.
- fc The compound is a common laboratory and field contaminant.
- **fp** Compounds in the sample matrix interfered with quantitation of the analyte. The reported concentration may be a false positive.
- **hr** The sample and duplicate were reextracted and reanalyzed. RPD results were still outside of control limits. The variability is attributed to sample inhomogeneity.
- ht The sample was extracted outside of holding time. Results should be considered estimates.
- ip Recovery fell outside of normal control limits. Compounds in the sample matrix interfered with the quantitation of the analyte.
- j The result is below normal reporting limits. The value reported is an estimate.
- J The internal standard associated with the analyte is out of control limits. The reported concentration is an estimate.
- jl The analyte result in the laboratory control sample is out of control limits. The reported concentration should be considered an estimate.
- jr The rpd result in laboratory control sample associated with the analyte is out of control limits. The reported concentration should be considered an estimate.
- lc The presence of the compound indicated is likely due to laboratory contamination.
- L The reported concentration was generated from a library search.
- **nm** The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.
- **pc** The sample was received in a container not approved by the method. The value reported should be considered an estimate.
- pr The sample was received with incorrect preservation. The value reported should be considered an estimate.
- ve The value reported exceeded the calibration range established for the analyte. The reported concentration should be considered an estimate.
- vo The value reported fell outside the control limits established for this analyte.
- x The pattern of peaks present is not indicative of diesel.
- y The pattern of peaks present is not indicative of motor oil.

steration	ne) direrantan karanturun eruni intustatulukukukukukutur sakannar antak irun end ueri arandan k. Kundenna	entren serier samualausikanaker en sinis	erene hand man autumo name - sao	destablication and the major societies of	Stood Free Livering and analytical art or constraint and the section was	er volatur mainus) in a sledanniane indeprings	or and construction of the	Perio instanta kaiPhilire sez 1910	interest and the second	Samoto an astrology .	Self-regional regions in a specifical	Выхотивання полительного ч	Statement of the disease and	and the second s	many wiverstaments on the state of the season to be some	ment outsidely	
	710225			SAN	MPLE CHAI	N OF C	USTO	DY		ЧĒ	10	1171	07		AI	4	
=	Send Report To	UP Th	DMPSE		SAMPLERS		<b>3</b>								of ND TIME		
	Company ALASKAN	PROJECT NAME/NO. PO# messo KC Composite MO103							KRI	JSH_	(2 Wee 45797 es auth						
Address 628 S. HANDENS ST City, State, ZIP Separce CAD 98134					REMARKS							SAMPLE DISPOSAL  □ Dispose after 30 days					
	Phone # 206-571-60								t			□ Re	turn sa	amples	structions		
		ANALYSES REG							QUESTED								
	Sample ID	Lab ID	Date	Time	Sample Type	# of	-Diesel		by 8260 s by 8270	SE 12	MINT				Notes		

Sample ID	Lab ID	Date	Time	Sample Type	# of containers	TPH-Diesel	TPH-Gasoline	BTEX by 8021B	VOCs by 8260	SVOCs by 8270	An O Ast	1					Notes
M 01036	01	10/17/07	11:30	Aro	/						7	<del></del>					
		·															
			(W)										<u> </u>				
																	W.J.,
·	•												ļ		ļ		
															<u> </u>		
				•										·	<u> -</u>		
									•								
				v v													
Friedman & Bruya, Inc. 3012 16th Avenue West	Relinguished	SIGNATU	RE	5 6:	PRINT				<del>i</del>			COMP Les				DATE	ZiZ
Seattle, WA 98119-2029	Received by:		unt	19	1	la						eB.			1	9/17 10	2:0
Ph. (206) 285-8282	Relinquished by	y: V							a				•	19	1 /	7	
Fax (206) 283-5044	Received by:							-	San	ipies	rece	ived	at_	<del>/ ,                                   </del>		5	

#### **ENVIRONMENTAL CHEMISTS**

James E. Bruya, Ph.D. Charlene Morrow, M.S. Yelena Aravkina, M.S. Bradley T. Benson, B.S. Kurt Johnson, B.S. 3012 16th Avenue West Seattle, WA 98119-2029 TEL: (206) 285-8282 FAX: (206) 283-5044 e-mail: fbi@isomedia.com

October 25, 2007

Gerry Thompson, Project Manager Alaskan Copper Works 628 South Hanford Seattle, WA 98134

Dear Mr. Thompson:

Included are the results from the testing of material submitted on October 17, 2007 from the Metro KC Composite, PO M01036, F&BI 710225 project. There are 4 pages included in this report. Any samples that may remain are currently scheduled for disposal in 30 days. If you would like us to return your samples or arrange for long term storage at our offices, please contact us as soon as possible.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.

Michael Erdahl Project Manager

Enclosures ACU1025R.DOC